

Sales Order	
Customer:	<input type="text" value="A"/> 110
Product:	<input type="text" value="1"/> 120
Quantity:	<input type="text" value="10"/> 130
Shipping:	<input type="text" value="Express FOB"/> 140
Enter 150	

Figure 1A

RU 100A

Sales Order	
Customer:	<input type="text" value="A"/>
Product:	<input type="text" value="1"/>
Quantity:	<input type="text" value="10"/>
Shipping:	<input type="text" value="Express FOB"/> 140
Edit 160	
Process 170	

Figure 1B

RU 100A




Figure 2

Simulation
Customer: <input type="text" value="A"/>
Product: <input type="text" value="1"/>
Quantity: <input type="text" value="10"/>
Shipping: <input type="text" value="Express FOB"/>
Edit Attribute Set
Edit Access Procedure

Figure 7




Figure 3

Modeling Rules

Rule Type	Rule Number	Term 1- W30A	Rule Values W30B	Term 2 / W30B
Shipping Rule	1	Express	FOB	
Shipping Rule	2	24 Hour	FOB	
Shipping Rule	3	Standard	FOB	

Enter

1980A MA

L'ambit
Ligure

Create Attribute Database			
	510	520	530
500	Attribute Set	Query Attribute(s)	Identified Rule
	1	(A, ,)	Shipping Rule # 1
	2	(, 1,)	Shipping Rule # 2
	3	(A, 1,)	Shipping Rule # 3
	4	(A, 1, Monday)	Shipping Rule # 2

1-
Enter
1-
540

280B ~ Figure 5

Create Access Procedure		
	610	
600	620	
	Access Rule	Query Attribute(s)
	1	(Customer, ,)
	2	(Customer, Product,)
	3	(Customer, Product, Day)

1-
Enter
1-
630

280C ~ Figure 6